Bibliographies of Guy's Men.—No. 3.

The other Bibliographies in this Series are :

SIR SAMUEL WILKS, Bart., M.D., LL.D., F.R.S., 1911;
JAMES HENRY TARGETT, M.S., F.R.C.S., 1913.

BIBLIOGRAPHY

OF THE

PUBLISHED WRITINGS

(1883—1912)

OF

Sir William Arbuthnot Lane, Bart.

M.B., M.S. Lond., F.R.C.S. Eng.

Surgeon to Guy's Hospital, London.

COMPILED BY

WILLIAM WALE, F.R.Hist.S.,

Wills Librarian, Guy's Hospital;

Formerly Assistant Librarian, Royal Society of Medicine.

• MCMXIV •

THE COLLEGE OF SURGEONS OF ENGLAND
LIBRARY

Photo. by Elliott & Fry, Ltd. *By permission.*

SIR WILLIAM ARBUTHNOT LANE, Bart.,

M.B., M.S. Lond., F.R.C.S. Eng.

With the Compiler's compliments

Bibliographies of Guy's Men.—No. 3.

The other Bibliographies in this Series are :

SIR SAMUEL WILKS, Bart., M.D., LL.D., F.R.S., 1911;

JAMES HENRY TARGETT, M.S., F.R.C.S., 1913.

BIBLIOGRAPHY

OF THE

PUBLISHED WRITINGS

(1883—1912)

OF

Sir William Arbuthnot Lane, Bart.

M.B., M.S. Lond., F.R.C.S. Eng.

Surgeon to Guy's Hospital, London.

COMPILED BY

WILLIAM WALE, F.R.Hist.S.,

Wills Librarian, Guy's Hospital;

Formerly Assistant Librarian, Royal Society of Medicine.

• MCMXIV •

Bibliography of the Published Writings

(1883-1912)

— OF —

Sir WILLIAM ARBUTHNOT LANE, Bart.,

M.B., M.S. Lond., F.R.C.S. Eng.

COMPILED BY WM. WALE, WILLS LIBRARIAN.

SEPARATE PUBLICATIONS—BOOKS.

Manual of Operative Surgery, 276 pp., 8vo., Lond., 1886.

Cleft Palate and Adenoids; treatment of simple fractures by operation; diseases of joints; operative treatment of cancer; acquired deformities; antrectomy, hernia, etc., 278 pp., 8vo., Lond., 1897.

Ditto, 2nd edit., 344 pp., 8vo., Lond., 1900.

Operative Treatment of Chronic Constipation, 1904.

Ditto, 2nd edit., 70 pp., 4to., Lond., 1909.

Cleft Palate and Hare-lip, 1905.

Ditto, 2nd edit., 82 pp., 4to., Lond., 1908.

The Operative Treatment of Fractures, 144 pp., 4to., Lond., 1905.

SEPARATE PUBLICATIONS—PAMPHLETS AND REPRINTS.

The Causation and Pathology of the so-called Disease Rheumatoid Arthritis or Rheumatic Gout, and of senile changes, 63 pp., reprint from *Trans. Path. Soc.*, 1885-6, xxxvii.

Some changes in the form of the acetabular cavities, spinal column, and joints of the hand, illustrated by the anatomy of the charwoman, 9 pp., 1887, reprint from *Guy's Hosp. Rep.*, 1886, 1887, xliv.

Antrectomy as a treatment for chronic purulent otitis media, 7 pp., New York, 1892, reprint from *Arch. Otol.*, New York, 1892, xxi.

The fallacy of the vertical foot-piece. The applicability of the parting tool or angular gouge to the surgery of the skull, 8 pp., 1893, reprint from *Brit. Med. Journ.*, 1893, ii., 1050.

The Operative Treatment of Simple Fractures, 11 pp., 1909, reprint from *Surg., Gynec. and Obstet.*, Chicago, 1909, viii., 344-354.

Civilisation in relation to the abdominal viscera, with remarks on the corset, 19 pp., 1909, reprint from *The Lancet,* 1909, ii., 1416-1418.

The Kink of the Ileum in Chronic Intestinal Stasis, 12 pp., 1910.

On the Kinks which develop in our drainage system in Chronic Intestinal Stasis, 13 pp., 1911, reprint from *Brit. Med. Journ.*, 1911, i., 913-915.

The Operative Treatment of Badly United Fractures, 14 pp., 1911, reprint from *The Lancet,* 1911, ii., 1255-1257.

The First and Last Kink in Chronic Intestinal Stasis, 14 pp., 1911, reprint from *The Lancet,* 1911, ii., 1540-1541.

Reviser and Part Author.

R. E. Carrington's A Manual of Dissections of the Human Body, 2nd edition, revised and enlarged by W. A. Lane, 380 pp., 1888.

Author of Section of Book.

Injuries and Diseases of Muscles and Tendons, in Treves' *System of Surgery,* Lond., 1896, ii., 1-37.

In Periodical Publications.

As nearly all the Journals in which Sir Arbuthnot Lane's writings have appeared are published in London, the place of publication has been omitted in the references, except where it is other than London.

(C.S.)=Card Specimen.

1883.

Fracture of the Sternum, with costochondral dislocation, *Trans. Path. Soc. Lond.*, 1882-3, xxxiv., 223-225.

Cases of Empyema in children treated by removal of a portion of the rib, *Guy's Hosp. Rep.*, 1883, 3rd ser., xxvi., 45-46.

1884.

Costal and Sternal Asymmetry, *Journ. Anat. and Phys.*, 1883-4, xviii., 335-338.

On three forms of spinal deformity, Med. Chir. Trans., 1884, lxvii., 233-247. *Also Lancet*, 1884, i., 1074; *Brit. Med. Journ.*, 1884, i., 1148.

With Dr. Horrocks and Dr. W. Hale White. An account of the abnormalities observed in the dissecting-room during the winter session 1882-83, *Guy's Hosp. Rep.*, 1884, 3rd ser., xxvii., 39-48.

Cervical and Bicipital Ribs in Man, *Ibid*, 109-133.

Extensive Thrombosis following fracture of both bones of the forearm, *Trans. Clin. Soc. Lond.*, 1884,, xvii., 180-182.

Diphtheria of the Larynx, spreading upwards to the pharynx and uvula (C.S.), *Trans. Path. Soc. Lond.*, 1884, xxxv., 75.

Fractures of Hyoid Bone, with deformity of thyroid and cricoid cartilages (C.S.), *Ibid,* 75-76.

One Mode of Fracture of the Sternum, *Ibid,* 253-261.

Ununited Fracture of the Greater Cornu of the Hyoid Bone (C.S.), *Ibid,* 261.

Ununited Fractures of Transverse and Spinous Processes of Dorsal Vertebræ and of Ribs (C.S.), *Ibid,* 262-264.

Ununited Fracture of a Rib; incomplete fracture of a rib; enumeration of, and remarks on, cases described (C.S.), *Ibid,* 264-266.

Ununited Fractures of Ribs (C.S.), *Ibid,* 266.

Fracture of Seventh and Eighth Costal Cartilages with Displacement of Fragments (C.S.), *Ibid,* 266-267.

Ununited Fracture of Acromion with Rheumatoid Arthritis of Shoulder-joint, with other cases of ununited fracture, and remarks (C.S.), *Ibid,* 267-269.

Ununited Fracture of Acromion on the left side; two cases of united fracture of the acromion (C.S.), *Ibid,* 269-270.

Ununited Fracture of Humerus. United Fractures of Condyle and Trochlea (C.S.), *Ibid,* 271.

Cases of mollities ossium, rheumatic arthritis, and Charcot's disease, *Ibid,* 299-308.

Partial mollities; Charcot's disease; spondylolisthesis (C.S.), *Ibid,* 308-311.

Spinal Column from ease of contracted sterno-mastoid (C.S.), *Ibid,* 315-316.

1885.

Supernumerary cervico-dorsal vertebra-bearing ribs, with vertebral and costal asymmetry; abnormal articulation in a sternum, *Journ. Anat. and Phys.*, 1884-5, xix., 266-273.

On the Treatment of Empyema in Children, *Arch. Pediat.*, Philad., 1885, ii., 283-291.

With W. Hale White, Cervical Rib, *Trans. Clin. Soc. Lond.*, 1885, xviii., 334.

Fracture of Larynx, *Ibid,* 335.

On fractures of the Hyoid bone and Larynx; dislocation of the hyoid bone; primary chondritis of larynx, *Trans. Path. Soc. Lond.*, 1885, xxxvi., 82-94.

Compound Diverticulum in connection with the prostatic urethra (C.S.), *Ibid,* 1885, xxxvi., 288-289.

Fracture of the Sternum alone, *Ibid,* 324-325.

Ununited Fracture of the Manubrium Sterni, *Ibid.*, 325-326.

Mode of Fracture of First Rib alone, *Ibid.*, 327-332.

Fracture of the Tibia and Fibula, accompanied by partial displacements of the foot forwards, *Ibid.*, 333.

Fracture of the Tibia and Fibula, accompanied by partial displacement of the foot backward, *Ibid.*, 335.

Purulent Effusion into several of the joints of a syphilitic infant, *Ibid.*, 343-345.

Abnormal Process of Bone projecting from the upper part of the shaft of the humerus, *Ibid.*, 356-359.

Some of the changes which are produced by pressure in the lower part of the spinal column, spondylolisthesis, displacement backwards of the fifth lumbar vertebra, torticollis, etc., *Ibid.*, 364-378.

Extreme dorsal excurvation produced by a stooping occupation in a growing youth (C.S.), *Ibid.*, 378-381

1886.

An interclavicular muscle in the human subject, *Jour. Anat. and Phys.*, 1885-6, xx., 544.

Some variations in the human skeleton, *Ibid.*, 388-404.

Two subjects with six lumbar vertebra in one possessing lumbar ribs; bifid spinous processes in lower dorsal region; separation of the first piece of the sacrum; fusion of the sacrum and first lumbar, etc., *Ibid.*, 398-404.

Floating Kidney, *Ibid.*, 544.

With W. Hale White and J. A. Price. Abnormalities observed in the Dissecting-room of Guy's Hospital during 1883-84, *Guy's Hosp. Rep.*, 1886, 3rd ser., xxviii., 63-69.

The Pathology of Extravasation of Urine and of Sacculation of the Urethra and Bladder, *Ibid.*, 29-52.

Flexions of the Fingers; Dupuytren's, etc., and some senile changes in joints, *Ibid.*, 53-61.

Some points in the physiology and pathology of the changes produced by pressure in the bony skeleton of the trunk and shoulder girdle, *Ibid.*, 321-434.

Multiple Sarcoma of Bone, *Trans. Path. Soc. Lond.*, 1886, xxxvii., 373-374.

The causation and pathology of the so-called disease Rheumatoid Arthritis and of senile changes, *Ibid.*, 387-447.

1887.

Rare Abnormality of the Large Arteries of the Heart, *Journ. Anat. and Phys.*, 1886-7, xxi., 97-100.

A remarkable example of the manner in which pressure changes in the skeleton may reveal the labour-history of the individual, *Ibid.* 385-406.

The causation of several variations and congenital abnormalities in the human skeleton, *Ib d.*, 586-610.

A Coraco-clavicular Sternum Muscle, *Ibid.*, 673.

Abnormal Muscle of the Hand, *Ibid.*, 674.

An Example of Fracture of the First Rib alone, *Brit. Med. Journ.*, 1887, ii., 119.

On the mode of fixation of the scapula, suggested by a study of the movements of that bone in extreme flexions of the shoulder-joint, and its bearing upon fracture of the coracoid process, *Proc. Roy. Med.-Chir. Soc.* 1885-7, new ser. ii., 298-300. *Also* in *Brit. Med. Journ.*, 1887, ii., 1048.

Intussusception produced by the presence of a tumour growing from the mucous membrane of the great gut, *Trans. Clin. Soc. Lond.*, 1887, xx., 199.

The factors that determine the hypertrophy of the skull in mollities ossium, osteitis deformans, rickets, and hereditary syphilis, *Brit. Med. Journ.*, 1887, ii., 1331. *Also, Lancet,* 1887, ii., 1218.

The causation, pathology, and physiology of several of the deformities which develop during young life, including simple knock-knee, flat-foot, lateral curvature, dorsal excurvation, deformities of the toes, a form of facial and thoracic deformity due to large tonsils, and rickety deformities of the spinal column, pelvis, and lower extremities, *Guy's Hosp. Rep.*, 1887, 3rd ser., xxix., 241-333.

Some changes in the form of the acetabular cavities, spinal column, and joints of the hand, illustrated by the anatomy of the charwoman, *Ibid.*, 359-367.

Undescribed fractures of the lower extremity of the tibia or fibula which are not recognised during lifetime, *Ibid.*, 395-398.

With J. Poland and L. A. Dunn. Abnormalities observed in the Dissecting-room of Guy's Hospital during the sessions 1885-86 and 1886-87, *Ibid.*, 399-412.

1888.

A very important factor in the causation of some of the curves which develop in mollities ossium, rickets, and osteitis deformans, *Journ. Anat. and Phys.*, 1887-8, xxii., 15-27.

The anatomy and physiology of the shoemaker, *Ibid.*, 593-628.

The movements of the ankle-joint, *Ibid.*, 408-422.

Can the existence of a tendency to change in the form of a skeleton of the parent result in the actuality of that change in the offspring? *Ibid.*, 215-224.

On the mode of fixation of the scapula, suggested by a study of the movements of that bone in extreme flexion of the shoulder-joint, and its bearing upon fracture of the coracoid process, *Brit. Med. Journ.*, 1888, i., 1047-49.

The result produced upon the muscles, bones, and ligaments by the habitual exercise of excessive strain, *Ibid.*, ii., 1205-1207.

An undescribed method by which the superjacent weight of the body is transmitted in an united or ununited fracture of the neck of the femur through an acquired ilio-femoral articulation; and the bearing of the principle involved upon the surgery of the hip-joint, *Med.-Chir. Trans.*, 1888, lxxi., 69-80. Abstract in *Brit. Med. Journ.*, 1887, ii., 1048-1049.

The factors that determine the hypertrophy of the skull in mollities ossium, osteitis deformans, rickets, and hereditary syphilis, *Lancet*, 1888, i., 815-817.

What are the chief factors which determine the differences which exist in the form of the male and female pelves? *Trans. Obst. Soc. Lond.* (1887), 1888, xxix., 351–368.

1889.

A brief statement of the causation of several of the simple and rachitic deformities that develop during young life, *Brit. Med. Journ.*, 1889, i., 174-180.

Angular curvature; paraplegia; resection of laminæ; recovery. *Ibid.*, 884.

With J. F. Goodhart. Lupus of cheek, soft palate, hard palate, and tonsils; cauterisation; recovery, *Lancet*, 1889, i., 777.

Considerable hypertrophy of the middle lobe of the prostate; excision; death, *Ibid.*, 836-838.

Peculiar growth in parietal layer of tunica vaginalis, *Illus. Med. News*, 1889, ii., 269.

The causation and pathology of the more commonly observed forms of lateral curvature of the spinal column, *Med.-Chir. Trans.*, 1889, lxxii., 275-288. Abstract in *Lancet*, 1889, i., 733; and *Brit. Med. Journ.*, 1889, i., 835.

Five cases of complicated disease of the middle ear, *Trans. Clin. Soc. Lond.*, 1888-9, xxii., 255-265.

1890.

The treatment of suppurative inflammation of the mastoid process associated with disease of the middle ear, *Brit. Med. Journ.*, 1890, i., 707.

Case of strangulation of the bowel through a hole in the mesentery, *Ibid.*, 890.

Two cases of subdural abscess resulting from disease of the antrum and middle ear, *Ibid.*, 1301.

The treatment of pyæmia consequent upon disease of the middle ear and unassociated with thrombosis of the lateral sinus, *Ibid.*, 1480.

Tubercular disease of the breast and axillary glands, *Ibid.*, ii., 630.

A case of fracture of the vault of the skull, with minute puncture of a branch of the middle meningeal artery and long delay in onset of symptoms. etc., *Lancet,* 1890, i., 897.

Angular curvature; rapidly developing paraplegia; laminectomy; recovery, *Ibid.*, ii., 11.

The deformities which develop in young life, *Ibid.*, 274-276.

Calculus impacted in the ureter for twenty years; removal; recovery, *Ibid.*, 967.

Thrombosis of the longitudinal sinus following fracture of the vault of the skull, *Trans. Clin. Soc. Lond.*, 1890, xxiii., 219-221.

With W. Hale White. Case of trephining for old hemiplegia accompanied by intense headache, *Ibid.*, 226-231.

Complete thrombosis of the longitudinal sinus, *Med. Press and Circ.*, 1890, new ser., xlix., 505.

1891.

A case of epilepsy following on a depressed fracture produced by forceps at birth after an interval of fourteen years; removal of depressed bone with very considerable benefit, *Lancet,* 1891, i., 139.

Very severe pain in anterior extremity of urethra; supra-pubic cystotomy; forcible dilatation of contracted prostatic urethra; recovery, *Ibid.*, 931.

Rupture of gall-bladder; retention of a considerable quantity of bile in the peritoneal cavity for five weeks; operation; recovery, *Ibid.*, 1091.

Resection of intestine by Senn's method, *Ibid.*, 1101.

Utility of introducing saline solutions into the circulatory system to replace blood lost in severe hæmorrhage, *Ibid.*, ii., 626.

Abstracts of clinical lectures on inflammation of the middle ear and its complications, *Ibid.*, 699-701.

Strangulated congenital hernia; remarkable absence of symptoms of obstruction; operation, *Brit. Med. Journ.*, 1891, i., 284.

Rupture of ischio-rectal abscess into subperitoneal areolar tissue; death, *Ibid.*, 354.

Two cases of angular curvature; paraplegia; laminectomy, recovery, *Ibid.*, 1227.

A case of mixed enchondroma of sub-maxillary gland, *Trans. Clin. Soc. Lond.*, 1891, xxiv., 17.

With W. Hale White. Stricture of the pylorus following upon hydrochloric acid poisoning, in which a modified Loreta's operation was performed, *Ibid.*, 108-111.

Two cases of resection of intestine by Senn's method, *Ibid.*, 182-186.

A case in which two symmetrical congenital mucus-secreting cavities existed in the lower lip, *Ibid.*, 230

Congenital fistulous channel in middle line of nose, *Ibid.*, 232.

1892.

Chronic Rheumatic Arthritis, *Lancet,* 1892, i., 246-248

Fracture and dislocation of the pelvis; intra-peritoneal rupture of the bladder; pneumonia; death, *Ibid.*, 867.

A modification of the operation of partial or complete excision of the tongue, *Ibid.*, 1291.

Fracture (dislocation) of spine; reduction; temporary recovery, *Ibid.*, ii., 661.

Alveolar abscess; pyæmia; excision of thrombosed veins; death, *Ibid.*, 1044.

Papilloma of Penis, *Ibid.*. 1495.

Operative treatment of a case of chronic traumatic or mechanical arthritis, *Brit. Med. Journ.*, 1892, i., 1193.

The later results of laminectomy for paraplegia due to angular curvature, *Ibid.*, ii., 1423.

Antrectomy as a treatment for chronic purulent otitis media, *Arch. Otol.*, New York, 1892, xxi., 118-124.

Eleven cases of compression paraplegia treated by laminectomy, *Trans. Clin. Soc. Lond.*, 1891-2, xxv., 30-36.

Cases illustrating the modes in which a strangulated loop of bowels reacts to the constricting medium, *Ibid.*, 181-184.

With J. W. Washbourn. A case of floating kidney treated by a new mode of nephrorrhaphy, *Ibid.*, 203

A case of very severe hæmorrhage following removal of a tonsil; ligature of common carotid; transfusion; recovery, *Ibid.*, 227.

Two cases of tubercular disease of the breast and axillary glands, *Ibid.*, 243.

Some of the laws which influence the growth of the child, *Trans. VIIth Internat. Cong. Hygiene and Demog.*, 1891, Lond.. 1892, iv., 103-109.

On chronic purulent otitis media, *Med. Press and Circ.*, 1892, new ser. liv., 577-579.

1893.

With B. Scott. Treatment of a case of pyæmia re-resulting from disease of the middle ear, *Lancet*, 1893, i., 138.

Acute inflammation of the gall-bladder simulating closely acute intestinal obstruction, *Ibid.*, 411.

New operation for dorsal dislocation of the head of femur, *Ibid.*, 475. *Also* in *Brit. Med. Journ.*, 1893, i., 461.

Case of spondylolisthesis associated with progressive paraplegia; laminectomy, *Ibid.*, 991.

One of the best applications of iodoform in surgery, *Ibid.*, ii., 131.

The treatment of severe cases of congenital talipes varus in infancy, *Ibid.*, 432.

A remarkable hepatic case illustrating a mode of examination of the liver suggested by Mr. Alfred Parkin; recovery, *Ibid.*, 874.

On the advantage of the steel screw in the treatment of ununited fractures, *Ibid.*, 1500.

A case of extensive nævus of the peritoneum, *Trans. Clin. Soc. Lond.*, 1892-3, xxvi., 5.

Two cases illustrative of an operation of complete erasion of the ankle-joint, *Ibid.*, 15-17.

With A. Roper. Excision of a cancerous stricture of the small intestine, from a case of complete obstruction of seventeen days' duration, *Ibid.*, 40-42. *Abstract* in *Brit. Med. Journ.*, 1892, ii., 1235.

A case illustrating a more effectual method of removing a cancerous breast, lymphatics, and glands, *Ibid.*, 85-87.

Cases illustrating a new operation for dorsal dislocation of the head of the femur and some points in the surgery of the hip-joint. *Ibid.*, 118–124.

A case of macrocheilia successfully treated by electrolysis, *Ibid.*, 223.

A unique case of strangulated femoral hernia closely simulating the obturator variety, *Med. Press and Circ.*, 1893, new ser. lv., 405.

Clinical lecture on the complications of chronic purulent otitis media, *Guy's Hosp. Gaz.*, 1893, new ser. vii., 385-387.

A case of ununited fracture of the tibia and fibula illustrating the harm that is frequently done by the application of some of the forms of splints in common use, *Brit. Med. Journ.*, 1893. i., 1162.

The symptoms and treatment of septic infection of the lateral sinus as illustrated by ten cases, *Ibid.*. ii., 561-563.

The fallacy of the vertical footpiece, *Ibid.*, 1048-50.

The applicability of the parting tool or angular gauge to the surgery of the skull, *Ibid.*, 1050.

The causation and treatment of hydrocele and hernia in young infants, *Ibid.*, 1145.

Detached pieces of articular cartilage forming loose bodies in both knee-joints, *Ibid.*, 1207.

How far is sulphur likely to be of service to the surgeon? *Med. Week.*, Paris, 1893, i., 584.

Extensive rapidly destructive papilloma of the penis, *Trans. Path. Soc. Lond.*, 1893, xliv., 105-106.

1894.

On the use of sulphur in surgery, *Lancet,* 1894, i., 859.

Sarcoma in the meso-sigmoid; resection of sigmoid with growth; use of Murphy's button; recovery, *Ibid.*, 1006.

Extra-peritoneal Vesical Hernia, *Ibid.*, 1186.

Gall-stone producing acute intestinal obstruction; operation; recovery, *Ibid.*, ii., 382.

Case of congenital hydronephrosis treated successfully by a novel method, *Ibid.*, 910.

A clinical lecture on the treatment of tubercular disease of joints, *Clin. Journ.*, 1894, iv., 156-161.

Acquired Deformities, *Guy's Hosp. Gaz.*, 1894, new ser. viii., 241-244.

Multiple epitheliomatous growths developing in a case of psoriasis which had been treated with arsenic for more than thirty years, *Trans. Clin. Soc. Lond.*, 1893-4, xxvii., 102.

Case of acute general suppurative peritonitis secondary to appendicitis; removal of appendix; recovery, *Ibid.*, 104-106.

Large stones in the common bile-duct, producing complete obstruction; fæcal-smelling material also present in the duct; operation; recovery, *Ibid.*, 149-153

A method of treating simple oblique fractures of the tibia and fibula more efficient than those in common use, *Ibid.*, 167-175.

Bony ankylosis of temporo-maxillary joint with very imperfect development of lower jaw, *Ibid.*, 285.

1895.

Deficient development of an upper extremity in consequence of pressure exerted upon the axillary vessels and nerves, *Lancet,* 1895, i., 612.

With R. C. Lucas. Two cases of carbolic acid coma induced by the application of carbolic compresses to the skin, *Ibid.*, 1362-1364.

A case illustrating a very effectual method of treating extensive malignant disease of the breast, *Ibid.*, ii., 904.

Some remarks on the treatment of fractures, *Brit. Med. Journ.*, 1895, i., 861-863.

Fractures, *Guy's Hosp. Gaz.*, 1895, new ser. ix., 273-276.

A year's experience of the use of sulphur in surgery, *Med.-Chir. Trans.*, 1894-5, lxxviii., 53-56.

Some clinical observations on the principles involved in the surgery of fractures, *Clin. Journ.*, 1894-5, v., 392-400.

Some of the consequences of wearing boots, *Ibid.*, vi., 226-234.

A case of supernumerary testis, *Trans. Clin. Soc. Lond.*, 1895, xxviii., 59.

Rupture of the gall-bladder and liver produced by violent straining, in a patient suffering from obstructive jaundice; profuse hæmorrhage into the bile-ducts and intestines; death within five days, *Ibid.*, 160-164.

Extensive degenerating nævus of the bladder, *Ibid.*, 220.

A case of tubercular disease of the prostate with fistulæ externally and into the rectum, treated by sulphur, *Ibid.*, 288-290.

Two cases of dorsal dislocation of the hip treated by the method described in the Transactions of the Clinical Society (vol. xxvi., 1893), *Ibid.*, 294-299.

1896.

On the milder varieties of appendicitis, *Lancet* 1896, ii., 227-229.

On the study of anatomy and its application to the practice of medicine and surgery, *Brit. Med. Journ.*, 1896, ii., 1365-1368.

A lecture on mechanical or traumatic arthritis, *Clin. Journ.*, 1895-6, vii., 245-251.

Tubercular affection of joints, *Guy's Hosp. Gaz.*, 1896, new ser. x., 273-279.

Some of the experiences in the surgical out-patient room of a children's hospital, *Ibid.*, 341-344; 366-370. *Also* in *Clin. Journ.*, 1896-7, viii., 151-157.

Four cases of excision of the temporo-maxillary articulation in children, *Trans. Clin. Soc. Lond.*, 1896, xxix., 1-6.

With G. N. Pitt. Cranial cyst of sarcomatous origin; no recurrence two years after operation, *Ibid.*,164.

A case illustrating a condition of congenital partial displacement of both hip-joints upwards and forwards, *Ibid.*, 185-187.

1897.

The treatment of some of the consequences of disease of the hip-joint, *Practitioner,* 1897, lix., 584-593.

Pressure changes in the skeleton, *Edinb. Med. Journ.*, 1897, new ser. i., 245-251.

Cleft Palate, *Clin. Journ.*. 1897, x., 65-72.

On the treatment of inguinal hernia, *Ibid.*, 137-141.

Treatment of simple fractures by operation, *Ibid.*, 161-172.

Antrectomy as a treatment for chronic purulent otitis media, *Ibid.*, 389-392.

A consideration of the principles that should guide us in the treatment of abnormal mechanical conditions of the hip-joint, *Ibid.*, 402-416.

With J. W. Washbourn. A case of tumour of the brain which was successfully removed, *Trans. Clin. Soc. Lond.*, 1896-7, xxx., 154-158.

1898.

On the treatment of small fragments of bone in simple fractures, *Clin. Journ.*, 1897-8, xi., 471-474.

On the principles that should guide us in the operations, *Ibid.*, 1898, xii., 141-146.

On the treatment of ununited fractures, *Ibid.*, 146-148

Operation for dorsal dislocation of the hip resulting from disease, *Med. Press and Circ.*, 1898, new ser. lxv., 629.

Operation for a large depression about the frontal eminence in the skull of an infant, *Ibid.*, lxvi., 434.

1899.

Two cases of deficiency of the shaft of the ulna treated successfully by the insertion of a rabbit's femur, *Trans. Clin. Soc. Lond.*, 1899, xxxii., 44-45.

A case of erasion of the ankle-joint, illustrating a new operative procedure, *Ibid.*, xxxii., 133-135.

With J. W. Washbourn. A case of tumour of the brain which was successfully removed, *Ibid.*, 259.

Fractures and their treatment; with reference especially to fractures of the first rib and injuries of the hip-joint, *Clin. Journ.*. 1898-99, xiii., 129; 157.

1900.

On the operative treatment of simple fractures, *Lancet,* 1900, i., 1489-1493.

Some observations on the use of decalcified cancellous tissue, *Clin., Journ.*, 1900, xv., 203-204.

The surgery of the internal semilunar fibro-cartilage. *Ibid.*, xvi., 103-107.

Tubercular disease of the hip-joint, *Ibid.*, 134-142.

1901.

On the operative procedures for simple fractures which have been unscientifically treated, *Edinb. Med. Journ.*, 1901, new ser. ix., 45-58.

The causation of superior protrusion, *Brit. Journ. Dent. Sci.*, 1901, xliv., 337-342.

Local treatment in disease of the upper air passages, (Letter), *Brit. Med. Journ.*, 1901, ii., 1502.

Some remarks on hernia, its causation and treatment, *Clin. Journ.*, 1901, xvii., 193-196.

On the form of the alveolar arch, *Ibid.*, 343-349.

On Movable Kidney, *Ibid.*, xviii., 97-103.

On the treatment of foul wounds, *Ibid.*, 199-203.

Mechanical or traumatic arthritis, *Ibid.*, 358-363; 377-384.

1902.

On Cleft Palate, *Lancet,* 1902, i., 432-438; 498-503; 619.

Surgical operation for mitral stenosis (Letter), *Ibid.*, 547.

New biting forceps, *Ibid.*, ii., 1060.

The value of respiratory exercises in the naso-pharyngeal lesions in childhood, *Brit. Journ. Dent. Sci.*, 1902, xlv., 918-925.

Discussion on the value of respiratory exercises in the naso-pharyngeal lesions in childhood, *Brit. Med. Journ.*, 1902, ii., 687-689.

Some points in the treatment of fractures, *Practitioner,* 1902, lxix., 267-281.

Fractures of the radius and ulna, *Clin. Journ.*, 1902, xx., 171-173.

A few cases illustrating the results of operative interference for fractures about the elbow-joint, *Edinb. Med. Journ.*, 1902, new ser. xi., 328-333.

With F. Taylor. Two cases of volvulus, of which one was successfully treated by resection of the twisted bowel, *Guy's Hosp. Rep.*, 1902, 3rd ser. xlii., 1-8.

Operation for cleft palate on a child aged two days and a half, *Med. Press and Circ.*, 1902, new ser. lxxiii., 574.

1903.

On chronic obstruction of the cæcum and ascending colon, *Lancet,* 1903, i., 153-155.

On the mode of production of fractures of the lower extremity by indirect violence, *Practitioner,* 1903, lxx., 289-301.

On certain abdominal affections, *Clin. Journ.*, 1902-3, xxi., 353-359.

On the operative treatment of fractures, *Ibid.*, xxii., 161; 181; 196; 218.

Fractured dislocation of the upper end of the humerus, *Med. Press and Circ.*, 1903, new ser. lxxv., 142-144.

Operation for fracture through the lower end of the humerus, *Ibid.*, 463.

Operation for separation of the epiphysis of the left humerus, *Ibid.*, 463.

Operation for removal of a bony mass from the upper part of the thigh, *Ibid.*, lxxvi., 344.

1904.

An effectual means of dealing with the conditions of chronic obstruction of the large bowel resulting from the adhesions which develop in consequence of chronic constipation, *Lancet,* 1904, i., 19.

An address on the operative treatment of the conditions of the gastro-intestinal tract which result from chronic constipation, *Ibid.*, ii., 1695-1699.

On the operative treatment of the conditions of the large bowel which result from chronic constipation, *Clin. Journ.*, 1903-4, xxiii., 209-214.

On the treatment of cleft palate, *Edinb. Med. Journ.*, 1904, new ser., xv., 216-223.

Operation for hour-glass constriction of the stomach, *Med. Press and Circ.*, 1904, new ser. lxvii., 41.

Pancreatic Cyst, *Ibid.*, 41.

Operation for the mechanical obstruction of the large bowel resulting from chronic constipation, *Ibid.*, 238

Two operations for discarding the big bowel from the gastro-intestinal tract, *Ibid.*, 691.

Operation for cancer of the stomach, *Ibid.*, lxxviii., 335

Operation for the effects of chronic constipation, *Ibid.*, 335.

1905.

The operative treatment of constipation, *Internat. Clinics,* Philadelphia, 1905, 14th ser. iv., 159-165.

Chronic constipation and its medical and surgical treatment, *Lancet,* 1905, i., 795-797. *Also* in *Brit. Med. Journ.*, 1905, i., 700-702.

On Civilisation (and Malnutrition), *Clin. Journ.*, 1904-5, xxv., 49-53.

Clinical remarks on the operative treatment of simple fractures, *Brit. Med. Journ.*, 1905, ii., 1325-1327.

Operation for chronic constipation and its results, *Med. Press and Circ.*, 1905, new ser. lxxix., 433.

Operation for fracture of the tibia and fibula produced by forcible and excessive abduction of the foot, *Ibid.*, 433.

Operation for irreducible subcoracoid dislocation of the humerus, *Ibid.*, 433.

Operation for dilatation of the stomach in a girl æt. 6, *Ibid.*, 620.

Operation in simple fracture of the femur in a woman æt. 72, *Ibid.*, 620.

Simple spiral fracture of a femur at the hip-joint in a position of considerable flexion and adduction, *Ibid.*, 620.

Operation for stricture of ureter and hydronephrosis, *Ibid.*, lxxx., 599.

Operation for relief of the results of chronic constipation, *Ibid.*, 599.

1906.

Chronic Constipation, *Guy's Hosp. Gaz.*, 1906, xx., 149-157.

Some points in the treatment of cleft palate, *Clin. Journ.*, 1906, xxviii., 145-148.

Operations for chronic intestinal stasis and its results, *Med. Press and Circ.*, 1906, new ser. lxxxi., 281.

1907.

On the treatment of fractures in the vicinity of joints, *Lancet,* 1907, i., 1283-1287.

Clinical remarks on the operative treatment of fractures, *Brit. Med. Journ.*, 1907, i., 1037.

Appearances, *Guy's Hosp. Gaz.*, 1907, xxi., 91-96; 151-156.

(Deformities affecting the trunk and extremities), *Clin. Journ.*, 1906-7, xxix., 369-374.

1908.

Die operative Behandlung der chronischen Obstipation, *Berliner klin. Wochenschrift,* 1908, xlv., 599-603.

Chronic constipation; a consideration of its surgical treatment, *Surgery, Gynecol. and Obstet.*, Chicago, 1908, vi., 115-129.

The modern treatment of cleft palate, *Lancet,* 1908, i., 6-11.

Excision of the rectum for carcinoma, *Ibid.*, 418.

Remarks on the results of the operative treatment of chronic constipation, *Brit. Med. Journ.*, 1908, i., 126-130.

A simple procedure by which the risks of excision of the rectum can be materially reduced and the removal of infected tissues rendered more complete, *Clin. Journ.*, 1907-8, xxxi., 225.

(An ununited fracture of the left tibia operated), *Ibid.*, 304.

The operative treatment of cancer of the large bowel, *Ibid.*, 401-408.

Operation for all fractures of the radius and ulna, *Med. Press and Circ.*, Dublin, 1908, new ser. lxxxv., 207.

Laparotomy for cancerous growth, *Ibid.*, 610.

1909.

The operative treatment of fractures, *Annals of Surgery,* Philad., 1909, l., 1106-1113.

Chronic Intestinal Stasis, *Ibid.*, 190-199; (Discussion), 336-338.

Chronic Intestinal Stasis, *Trans. Amer. Surg. Assoc.*, Philad., 1909, xxvii., 23-29.

The operative treatment of simple fractures, *Surgery, Gynec. and Obstet.*, Chicago, 1909, viii., 344-354.

With H. B. Butler and A. F. Hertz. An enormous fæcal tumour in a girl with congenital abnormalities of her pelvic viscera, *Lancet*, 1909, i., 1170.

An address on the operative treatment of fractures, *Ibid.*, 1667.

Civilisation in relation to the abdominal viscera, with remarks on the corset, *Ibid.*, ii., 1416-1418.

An address on chronic intestinal stasis, *Brit. Med. Journ.*, 1909, i., 1408-1411.

Fact and fiction or the prognosis in cases of fracture, *Practitioner,* 1909, lxxxii., 197-203.

Congenital enlargement of the large bowel; removal of volvulus of the sigmoid, and later of the whole of the large intestine except the rectum, *Med. Press and Circ.*, 1909, new ser. lxxxvii., 503.

1910.

A singular combination of fractures of the leg, *Lancet,* 1910, i., 564.

The obstruction of the ileum which develops in chronic intestinal stasis, *Ibid.*, 1193.

The operative treatment of chronic constipation, *Practitioner,* 1910, lxxxiv., 684-699.

Intestinal Stasis, *Clin. Journ.*, 1909-10, xxxv., 225-227

Chronic Intestinal Stasis, *Med. Press and Circ.*, 1910, new ser. xc., 136-139.

1911.

Klinische Vorlesung über die Schleifen, welche sich in unserem Magendarmkanal bei chronischer Darmstase entwickeln, *Berliner klin. Wochenschrift*, 1911, 741-743.

Chronic Intestinal Stasis, *Surgery, Gynec. and Obst.*, Chicago, 1910, xi., 495-500.

Distension changes in the duodenum in chronic intestinal stasis, *Ibid.*, xii., 221-227.

The principles on which the treatment of resting conditions of the skeleton is based, *Lancet,* 1911, i., 651

The operative treatment of badly united fractures. *Ibid.*, ii., 1255-1257.

The first and last kink in chronic intestinal stasis. *Ibid.*, 1540-1541.

Excision of a cancerous segment of the œsophagus; restoration of the œsophagus by means of skin flap, *Brit. Med. Journ.*, 1911, i., 16.

A clinical lecture on some of the common injuries of the knee-joint and their consequences, *Ibid.*, 537-539.

A clinical lecture on the kinks which develop in our drainage system in chronic intestinal stasis, *Ibid.*, 913-915.

Discussion on the operative treatment of simple fractures, *Ibid.*, ii., 1059-1067.

The treatment of cleft palate, *Proc. Roy. Soc. Med.*, 1911, iv., *Surg. Sect.*, 169-172.

The treatment of chronic intestinal stasis, *Guy's Hosp. Gaz.*, 1911, xxv., 403-405.

On the operative treatment of fractures, *Univ. Durham Coll. Med. Gaz.*, Newcastle, 1910-11, xi., 113-115.

1912.

The award of the Nobel Prize to Dr. Alexis Carrel (Letter), *Lancet*, 1912, ii., 1103.

Chronic Intestinal Stasis, *Ibid.*, ii., 1706-1708; discussion (pp. 1721-1724).

A clinical lecture on chronic intestinal stasis, *Brit. Med. Journ.*, 1912, i., 989-993.

Method of procedure in operations on simple fractures, B.M.A. Report of Fractures Committee, *Ibid.*, ii., 1532-1533.

Chronic Intestinal Stasis, *Canad. Journ. Med. and Surg.*, Toronto, 1912, xxxii., 403-412. *Also* in *Canada Lancet,* Toronto, 1912, xlvi., 245-251.